Initiation of Periodic Review of the Impounding Structure Regulations (4VAC50-20)

§ 2.2-4007.1. Regulatory flexibility for small businesses; periodic review of regulations.

D. In addition to other requirements of §2.2-4017, <u>all regulations shall be reviewed every four years to determine whether they should be continued without change or be amended or repealed, consistent with the stated objectives of applicable law, to minimize the economic impact on small businesses in a manner consistent with the stated objectives of applicable law. When a regulation has undergone a comprehensive review as part of a regulatory action that included the solicitation of public comment on the regulation, a periodic review shall not be required until four years after the effective date of the regulatory action.</u>

- E. The regulatory review required by this section shall include consideration of:
- 1. The continued need for the rule;
- 2. The nature of complaints or comments received concerning the regulation from the public;
- 3. The complexity of the regulation;
- 4. The extent to which the regulation overlaps, duplicates, or conflicts with federal or state law or regulation; and
- 5. The length of time since the regulation has been evaluated or the degree to which technology, economic conditions, or other factors have changed in the area affected by the regulation.
- F. Prior to commencement of the regulatory review required by subsection D, the agency shall publish a notice of the review in the Virginia Register of Regulations and post the notice on the Virginia Regulatory Town Hall. The agency shall provide a minimum of 21 days for public comment after publication of the notice. No later than 120 days after close of the public comment period, the agency shall publish a report of the findings of the regulatory review in the Virginia Register of Regulations and post the report on the Virginia Regulatory Town Hall.

§ 10.1-605. Promulgation of regulations by the Board; guidance document.

A. The Board shall adopt regulations to ensure that impounding structures in the Commonwealth are properly and safely constructed, maintained and operated. Dam safety regulations promulgated by the State Water Control Board shall remain in full force until amended in accordance with applicable procedures.

Recommended Motion:

The Virginia Soil and Water Conservation Board approves the initiation of a periodic review of the Impounding Structure Regulations (4VAC50-20). The periodic review shall be conducted in accordance with the procedures established by the Office of Regulatory Management and the and all other applicable laws, policies, and procedures.