# Recommended revisions to the VACS BMP Manual for FY2024 – Glossary

- 1. Added language clarifying that the definitions included in the Glossary are solely for use with the Virginia Agricultural Cost-share Program. Additional language recognizes that other organizations and programs may use similar terms but the terms can mean different things. Similar language that was previously included in the definition of "live water" has been stricken.
- 2. Definition of "animal equivalents" has been revised to "animal units", which is more commonly used by the Program now. The definition remains the same.
- 3. "Highly managed hayland" has been revised to reflect the recommendation made by the AgBMP Technical Advisory Committee.
- 4. "Karst" has been defined as recommended by the AgBMP Technical Advisory Committee.
- 5. "State piggyback" has been renamed "piggyback funding" and has been minimized.
- 6. "Spot check" has been removed and replaced with "verification". This reflects current Program terminology.
- 7. The WP-4 Risk Assessment is included as a new form. This is a recommendation of the AgBMP Technical Advisory Committee.
- 8. The Dry Manure Storage Structure Agreement is included in this section of the Manual. This is a recommendation of the Department.

### **Glossary of Terms**

<u>Definitions provided in this Glossary apply only to the Virginia Agricultural Cost-Share</u> <u>Program. Other programs or organizations may define the same terms differently.</u>

<u>Acres Benefited</u>: The number of acres on which erosion is reduced due to BMP installation and/or acreage receiving benefit from the installation of a BMP (i.e. diversions, sod waterways, etc.). See Section II of this Manual for acreage benefited for each practice.

<u>Advisory Committee</u>: The Virginia Agricultural Best Management Practices Technical Advisory Committee.

Agricultural Land: Defined as "land being used in a BONA FIDE program of agricultural management and engaged in the production of agricultural, horticultural or forest products for market. The real estate must consist of a minimum of five contiguous acres and have verifiable gross receipts in excess of \$1,000 per year from the production or sale of agricultural, horticultural or forest products produced on the applicant's agricultural land for each of the past three years.

<u>Agricultural Products</u>: Crops, livestock and livestock products, including but not limited to: field crops, forage, fruits, vegetables, horticultural specialties, cattle, sheep, hogs, goats, horses, poultry, furbearing animals, milk, eggs and furs.

Agricultural Production: The production for commercial purposes of crops, livestock or livestock products, which includes the processing or retail sales by the producer of crops, livestock or livestock products which are produced on the parcel or in the District. For purposes of the VACS program, commercial equine operations such as breeding, boarding and training facilities are eligible for funding if they meet the necessary acreage and income requirement for each of the past three years.

Agriculturally and Forestal Significant Land: Land that has recently or historically produced agricultural and forestal products and is suitable for agricultural or forestal production or is considered appropriate to be retained for agricultural and forestal production as determined by such factors as soil quality, topography, climate, markets, farm structures, and other relevant factors.

Amount Approved by District: Determined by the District Board based on primary and secondary considerations, the cost-share rates, total estimated cost, extent approved and/or other considerations outlined in the DCR specifications.

Animal Equivalents (A.E.): One (1) A.E. equals 1,000 lbs. of live animal weight served by the facility in a given year.

<u>Animal Type</u>: The type of livestock the BMP is being installed to treat. The AgBMP Tracking Module accepts the following animal types:

Beef Dairy Swine Layer Sheep Goat

Horse Turkey Broiler Pullets Llama Other

Animal Unit (A.U.) or Equivalent (A.E.): One (1) A.U. or A.E. equals 1,000 lbs. of live animal weight served by the facility in a given year.

<u>Applicant</u>: An applicant may be a landowner, agent, or operator of record as long as the individual has control of the property and is at least 18 years of age. An applicant may be any corporation, association, partnership, or one or more individuals. Various companies, corporations, and partnership arrangements exist for farm ownership. Farm corporations (signing under Federal Tax Identification number) or partnerships operating under a farm name are classified as a single "applicant." Applicants are identified by a unique social security number and/or Federal Tax Identification number.

<u>Application</u>: The Virginia BMP Incentives Programs Contract (Part I – Application for Program) as generated by the VA AgBMP Tracking Module. When completed and signed, it will be considered an application to participate in the Program.

<u>Bedded Pack</u>: An area within the loose housing facility that provides livestock with a bedded area for resting and walking in lieu of individual stalls and concrete alleys.

<u>CDC</u>: Conservation District Coordinator – DCR regional staff that provide support and assistance to the Conservation Districts.

<u>Component Cost</u>: Cost of materials or services associated with the installation of BMPs such as fertilizer, lime, seed, obstruction removal and nitrate or soil testing.

<u>Conservation Plan</u>: Any DCR Conservation Plan or U.S. Department of Agriculture (USDA) Conservation Plan that addresses the soil and water quality problems of the field or site being planned. Plans for individual fields are acceptable, as are those for tracts and entire farms.

Conservation Efficiency Factor (CEF): CEF is calculated by the AgBMP Tracking Module to serve as a ranking tool and provide some guidance for ranking applications that would implement different BMPs. This tool is designed to assist Districts with the ranking of their cost share practice applications. The CEF uses eleven different components, including soil loss data that is inputted by the District, as well as the environmental information associated with the location of the practice on the property to generate a factor used to rank the proposed practice compared with other instances of the same BMPs as well as instances of other BMPs.

<u>County Code</u>: The Federal Information Processing Standards (FIPS) code.

<u>District</u>: A political subdivision of the Commonwealth organized in accordance with the provisions of the Code of Virginia contained in Chapter 5 of Title 10.1 (§ 10.1-500 et seq.) and with the powers and duties set out in Chapters 1, 5, 6, and 21 of Title 10.1 of the Code of Virginia; also referred to as a Virginia Soil and Water Conservation District.

<u>Drainage Basin</u>: For funding allocation purposes, the lands within the Chesapeake Bay

watershed (CB - Chesapeake Bay) or the lands in the Commonwealth exclusively outside of the Chesapeake Bay watershed (OCB - Outside of the Chesapeake Bay).

Engineering Job Approval Authority (EJAA): The authority to design, inspect, or certify various BMP Practices. The level of EJAA is granted by the DCR Agricultural BMP Engineer(s) to individuals based on their training, experience and demonstrated competence.

<u>Erosion Reduction</u>: For all practices, except grass filter strips, animal waste facilities, and water control structures, specify reduction in tons per acre. Some practices will have sheet and rill erosion, gully erosion, or both. Any wind erosion should be added to sheet and rill.

- For Grass Filter Strips (WQ-1), use the procedure outlined starting on page **WQ-1-4**.
- For Animal Waste Facilities (WP-4), specify total tons of manure treated on an annual basis.
- For Water Control Structures (WQ-5), disregard soil loss calculations, distance and relief to stream. Extent Requested and Extent Technically Authorized should indicate acreage of drainage area behind each structure.

<u>Erodibility Index (EI)</u>: An index calculated as part of the Virginia GIS project was used prior to program year 2009 as a priority consideration. This index calculated the effects of soil productivity on water quality. Since many of the factors involved in calculating the EI have been superseded by more recent and more accurate data, new priority considerations were identified beginning in program year 2009.

Established Vegetation: A viable stand of vegetation that is currently growing with vigor or has been vigorously growing but is now dormant (not dead). The dormant stand has a population density that makes it probable that the vegetation will result in a long-term coverage of 80% or more of the soil surface throughout the area of concern, unless otherwise noted in the DCR practice specifications. This definition should be used where established vegetation is essential for the operation and design function of a practice installed according to NRCS specifications.

Extreme Act of Nature (EAN): Some sudden and irreversible act of nature that could not have reasonably been foreseen or prevented. Examples include floods, drought, fire, and exceptional storms like hurricanes and tornados. Generally such events should be supported or documented by actions that could include a Governor's drought disaster designation or weather records that document excessive rainfall, floods, tornados or other such events.

<u>Forestal Production</u>: The production for commercial purposes of forestal products, and includes the processing or retail sales by the producer, of forestal products that are produced on the parcel. "Forestal products" include, but are not limited to, saw timber, pulpwood, posts, firewood, Christmas trees and other tree and wood products for sale or for farm use.

<u>Free Stall</u>: A structure that is divided into stalls in which individual animals rest, but are not restrained. A free stall facility is not eligible under the VACS Program.

<u>Fully Implemented Nutrient Management Plan</u>: For those practices requiring a "fully implemented nutrient management plan" as part of the practice specifications, a "fully implemented nutrient management plan" is defined as:

- 1. The plan is written by a current Virginia-certified nutrient management planner.
- 2. The producer agrees, by a signed document, that as the plan is written, the producer will be able to follow the crop rotation and all the nutrient recommendations on all fields signed up for this practice (at sign-up or prior to payment). The producer signature on a plan cover sheet is sufficient to meet this requirement.

<u>Gross Erosion Reduction</u>: Typically used to report soil lost from gullies. Determined by multiplying length, times width, times depth of the existing erosion gulley, times the specific weight of soil present, and then divided by the number of years of erosion that were required to create the gully condition. The result is reported in Tons of Soil Loss per year. Where applicable, gross annual erosion other than sheet and rill erosion may be calculated using RUSLE 2.

<u>Hardship</u>: A highly unusual situation (e.g. life-threatening illness, bankruptcy or some other highly unusual circumstance) where a participant desires forgiveness of the requirement to make repayment of cost-share associated with a Practice Failure.

<u>Highly Managed Hayland</u>: A production system in which cropland dedicated to hay production is not grazed and is managed in accordance with a Nutrient Management Plan. If grass-based, the participants must produce at least three two cuttings a year of hay and may have a nitrogen application for each cutting. However, in a designated drought condition, the third cutting and nitrogen application would not be required. If legume based (e.g. alfalfa), the participants are is exempt from the nitrogen application and are is eligible for phosphorus management under NM-5P. Land (pasture) that is primarily grazed is not to be considered highly managed hayland.

<u>Horticultural Production</u>: The production for commercial purposes of horticultural products, and includes the processing or retail sales, by the producer, of horticultural products that are produced on the parcel. "Horticultural products" includes, but is not limited to, fruits of all kinds, grapes, nuts, berries, and nursery and floral products for sale or for farm use.

<u>Hydrologic Unit</u>: Drainage areas that are delineated so as to nest into a multi-level hierarchical drainage system. Aside from the surface waters that are collected within the boundary of a hydrologic unit, it may also accept water from one or more points outside of the unit's boundary. Hydrologic units should be identified by using the four-digit alphanumeric Nation Watershed Boundary Dataset (NWBD) code found on a DCR hydrologic unit map.

Karst: A landscape occurring in areas with limestone or other soluble bedrock, characterized by features such as sinkholes, springs, sinking streams, and caves.

<u>Land Capability</u>: The suitability of land for use without permanent damage occurring. Land capability, as ordinarily used in the United States, is an expression of the effect of physical land conditions, including climate, on the total suitability for use without damage from crops that require regular tillage, for grazing, for woodland and for wildlife. Land capability involves

consideration of: (1) the risks of land damage from erosion and other causes and (2) the difficulties in land use owing to physical land characteristics, including climate.

<u>Land Capability Classifications</u>: A grouping of kinds of soils into special units, classes, and subclasses according to their capability for intensive land treatments required for sustained use; USDA or other qualified Soil Scientist usually prepare such classifications.

<u>Landowner or Owner of Land</u>: Any person holding a fee simple interest in property but does not include the holder of an easement.

<u>Lifespan</u>: The number of years a BMP must be maintained in accordance with Program standards. The lifespan begins on January 1 of the calendar year following the year of certification of completion. A BMP is subject to spot check throughout the practice lifespan.

<u>Live Stream or Live Water</u> (for the purpose of the Virginia Agricultural Cost-Share Program only): A creek, stream, river or other water feature which has surface flow or creates a surface flow for a substantial portion of the year.

<u>Loose Housing</u>: A structure that allows animals to move freely within the structure and may include components such as a bedded pack and feed alley.

<u>Piggyback funding</u>: A joint cost-share procedure that allows for a percentage payment on a specific component of a BMP where the county FSA or NRCS payment is below the state <u>VACS</u> payment maximum or cap.

<u>Revised Universal Soil Loss Equation (RUSLE)</u>: A soil loss equation principally used to estimate the rate that erosion is removing soil from critical parts of the landscape. Current NRCS guidance utilizes RUSLE 2 to calculate sheet and rill erosion.

<u>Social Security Number (SSN)</u>: Recorded in the AgBMP Tracking Module and displayed on the BMP Incentives Programs Contract Part I. If an applicant is incorporated, use the Federal Employee's I.D. Number instead of the SSN. Refer to Definition of Applicant or Participant section of the BMP guidelines for further explanation.

<u>Soil Sampling</u> by <u>Grid or Grid Soil Sampling</u>: The taking of in-field soil samples based upon a grid overlay. Each grid may be no larger than four acres.

<u>Soil Sampling by Zone or Zone Soil Sampling</u>: The taking of in-field soil sample based upon soil type. Zones may be no larger than 20 acres in size.

<u>Specialty Crop</u> (for the purpose of the Virginia Agricultural Cost-Share Program only): Vegetables, tree crops, perennial vine crops, ornamentals, horticultural crops, tobacco, hemp, turf, small grain, and other similar crops.

<u>Spot Check</u>: A check of the BMP's viability during the program lifespan conducted by District personnel under the guidance of the Conservation District Coordinator.

State Piggyback: A joint cost-share procedure that allows for a percentage payment on a specific component of a BMP where the county FSA or NRCS payment is below the state Cost-Share Program payment maximum or cap. Districts may cost-share the difference between the FSA or NRCS amount and the maximum cap. This procedure is to be used where FSA or NRCS cost-share alone may not be enough economic incentive to carry out the practice and where the addition of state funds will achieve sufficient water quality improvement. For example, a state funded SL-7 may be used to pay for interior fencing (ineligible for FSA cost-share) to establish rotational grazing if the application is made simultaneously with the CREP application. For a CREP application, a VACS funded SL-7 may be used to extend the watering system into adjacent grazing paddocks.

<u>Tons Waste Treated</u>: Annual total of waste managed by the system expressed as tons per year. This does not refer to the design capacity of the structure, but the cumulative total of manure for a 12-month period.

<u>Total Actual Cost</u>: For flat rate practices, multiply the rate times the extent installed. For all other practices, the total of all eligible components as verified with receipts submitted to and reviewed by District conservation technicians or other technically competent conservation professionals. Though actual cost may exceed the amount authorized, only the authorized cost-share amount may be paid. For flat rate plus percentage of component cost practices (FR-1, FR-3, SL-1 and SL-3), enter acres technically authorized times the flat rate incentive payment PLUS the total cost of all eligible components.

<u>Total Estimated Cost</u>: Refers to total estimated eligible cost. Do not include estimated cost for ineligible components. The total estimated cost shall be determined by designated technically competent personnel. For flat rate practices, multiply the estimated eligible cost per unit times the extent requested at signup, then update that value to the estimated eligible cost per unit times the extent actually installed, or the actual producer cost based on receipts, if necessary. The AgBMP Tracking Module will calculate the applicable cost-share rate (e.g. 75%) for eligible components.

<u>Total Maximum Daily Load (TMDL)</u>: A calculation of a maximum amount of a pollutant that a waterbody can receive and still meet water quality standards.

<u>USGS Topographic Map Name</u>: The name of the U.S. Geological Survey (USGS) 7-1/2 minute quadrangle sheet that covers the area where a BMP practice is located.

<u>Verification Spot Check</u>: A check of the BMP's viability during the program lifespan conducted by District personnel under the guidance of the Conservation District Coordinator. Also known as "spot check".

Water Quality Index (WQI): An index calculated as part of the Virginia GIS project that was used prior to program year 2009 as a priority consideration. The WQI calculated an erosion index with a delivery ratio to measure the effects of erosion on water quality. Since many of the factors involved in calculating the WQI have been superseded by more recent and more accurate data new priority considerations were identified beginning in program year 2009.

# **Applicant's Self-Certification of Eligibility**

For the purposes of the Virginia Agricultural BMP Cost-Share Program, agricultural land shall be defined as "land being used in a BONA FIDE program of agricultural management and engaged in the production of agricultural, horticultural or forest products for market". The real estate must consist of a minimum of five contiguous acres and have verifiable gross receipts in excess of \$1,000 per year from the production or sale of agricultural, horticultural or forest products produced on the applicant's agricultural land for each of the past three years.

Districts may request that applicants provide proof of agricultural production. To be considered an agricultural producer, there must be an annual minimum of \$1,000 of agricultural products being produced, sold, or both from the applicant's agricultural land (non-industrial private forest lands are exempt from the \$1,000 requirement). Any financial records supplied by an applicant to verify eligibility will not be duplicated or retained by the District.

I have read, understand, and certify that I meet the Virginia Agricultural Best Management Practice.	the above defined qualifications to participate in ctice Cost-Share Program.
Signature of Applicant	Date

#### NUTRIENT APPLICATION FIELD RECORD SHEET

Farm Name:	F	SA Farm #:	FSA Tract #:			<u>FS</u> 4	A Field #(	(s): _			
Manure Type: (po	Manure Type: (poultry, liquid dairy, swine, etc.)				Crop:			A	Acres:_		
	Ma	nure/Biosolids						Commercia	ıl Fertilizer/Li	me	
	Incorporation <sup>1</sup>	Acres	Actual			Fertili	izer Mater	ial		Li	me
Date	Time	Applied	Rate/acre	Date	N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O	Rate/Acre	Method <sup>2</sup>	Date	Ton(s)/Acre
1 Incorporation: In	nmediate, greater that ty	vo days, (>2 days), >4 days	, or $> 7$ days $2.5$	Starter=ST, Br	oadcast= ]	BR, Top D	ress=TD,	Side Dress = S	SD		
Farm Name:		FSA Farm #:	FSA Tract #:	FSA Field #(s):							
Manure Type: (po	oultry, liquid dairy, swii	ne, etc.)		Crop:				Acres:	-		
	Ma	nure/Biosolids						Commercia	ıl Fertilizer/Li	me	
	Incorporation <sup>1</sup>	Acres	Actual			Fertili	izer Mater	ial		Li	me
Date	Time	Applied	Rate/acre	Date	N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O	Rate/Acre	Method <sup>2</sup>	Date	Ton(s)/Acre

<sup>&</sup>lt;sup>1</sup> Incorporation: Immediate, greater that two days, (>2 days), >4 days, or > 7 days

<sup>&</sup>lt;sup>2</sup> Starter=ST, Broadcast= BR, Top Dress=TD, Side Dress = SD

#### NUTRIENT APPLICATION FIELD RECORD SHEET

Farm Name:	<u>Henry Jones</u>	FSA Farm #: 2	213		FSA Tract #	5431			FS <u>A I</u>	Field #(s): 5		
Manure Type:	(poultry, liquid dairy, sw	ine, etc.) Liquid Dairy				Crop: <u>Co</u>	rn / Wheai	<u> </u>	<i>P</i>	Acres:10	_	-
	M	anure/Biosolids		T					Со	mmercial fertil	izer/lime	
	Incorporation <sup>1</sup>	Acres	Actual				Fertili	zer Mater	ial		Li	ime
Date	Ťime	Applied	Rate/acre		Date	N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O	Rate/Acre	Method <sup>2</sup>	Date	Ton(s)/Acre
4/30/09	>7 days	10	7,200 gals.		5/12/09	15	0	15	100 lbs	ST	3/10/09	1
					6/15/09	30	0	0	300 lbs	SD		
					10/20/09	10	20	20	250 lbs	BR		

<sup>1</sup> Incorporation: Immediate, greater that two days, (>2 days), >4 days, or > 7 days

<sup>2</sup> Starter=ST, Broadcast= BR, Top Dress=TD, Side Dress = SD

Farm Name: <u>Henry Jones</u>

<u>F</u>SA <u>Farm #: 213</u>

FSA Tract #: 5431

FSA Field #(s):

Manure Type: (poultry, liquid dairy, swine, etc.) Crop: Liquid Dairy

<u>Cr</u>op: <u>S</u>udangrass/ <u>Barley</u>

Acres:

Manure/Biosolids Commercial Fertilizer/Lime Fertilizer Material Lime Incorporation<sup>1</sup> Acres Actual Time Applied Rate/acre Ton(s)/Acre Date Date N P<sub>2</sub>O<sub>5</sub> K<sub>2</sub>O Rate/Acre Method<sup>2</sup> Date 4/25/09 >2 days 3,000 gals 6/151/09 40 0 200 lbs TD10 20 20 200 lbs TD

Incorporation: Immediate, greater than two days, (>2 days), >4 days, or > 7 days

<sup>&</sup>lt;sup>2</sup> Starter=ST, Broadcast= BR, Top Dress=TD, Side Dress = SD

# Risk Assessment for Water Quality Impairment from Heavy Use Areas/Animal Concentrated Areas

Client's Name:	Farm #:		Tract #:	
Livestock Type:	No:	Avg. Wt.:		
Is the cooperator currently feeding hay or other fee	edstuffs from a fixed	I location?	Yes	No
If yes, then describe where and how they are feed	ling:			
If the cooperator is not feeding hay or other supple	ements, then do not	complete this form	n.	
For those who are feeding, are alternative concen-	trated feeding location	ons available? Cou	uld 🗌 Yes	☐ No
relocation of the concentrated feeding area reduce	e the risk to the wate	er resources?	Yes	☐ No
Describe the alternatives discussed with the lando	owner:			
Describe the selected alternative:				

Note: The Landowner should be informed that if the selected alternative includes manure or wastewater handling, storage, or treatment practices, a Comprehensive Nutrient Management Plan (CNMP) must be developed and implemented for the farm prior to construction of the storage facility.

# VA NRCS Concentrated/Feeding Livestock Area Manure and Nutrient Loading Estimator

1. Manure Estimator - Input site specific data into the table below:

	INPUTS								OUTPU	Γ - Waste d	eposited
	Α	В	С	D	Ш	F	G	Н	annually i	in concentra	ated area
Select	Number	Average	Days in	Portion of	Size of	Manure	Total N	Total			
Livestock	of	animal	concen-	manure	concen-	production	per ton	P <sub>2</sub> O <sub>5</sub> per			
Type from	animals	weight	trated area	dropped in	trated	rate (lbs/day	of	ton of	Manure	Total N	Total
the list	fed	(lbs)	(per year)	concen-	area (ac)	per 1,000	manure	manure	(tons/ac/	(lbs/ac/	$P_2O_5$
below in				trated area		lbs of live			` .	` .	(lbs/ac/
Table 1:				(%)		weight)			yr)	yr)	yr)
						,					- /
6 ▼	100	75	250	90%	0.25	40	22.5	8	135	3,038	1,080

#### 2. Guidance on inputs:

Column A, B, C, D, E, are site specific and may be adjusted according to site conditions and professional judgement.

Column D: If water is available in concentrated/feeding area, assume 60-70% drops in the area (adjust to site conditions).

If water is only available in pasture outside concentrated/feeding area, assume 40-50% drops in the area (adjust to site conditions).

Column E: The concentrated feeding area includes the feeding pad plus the total surrounding area with < 60% cover.

Columns F through H (see Table 1 below) are auto-filled with appropriate values when livestock type is selected.

#### **TABLE 1**

Livestock Type	Weight	Manure lbs./day/1,000lbs.	N/ton of manure	P <sub>2</sub> O <sub>5</sub> /ton of manure
1: Beef Finishing	400 - 1,000	65	11	3.1
2: Beef Cow/calf	900 - 1,400	104	7	3.5
3: Non Lact. Dairy	150 - 1,500	56	10	4
4: Lactating Dairy	1100 -1,500	119	13	5.4
5: Horse	1000-1,500	52	9.6	4.2
6: Goats/Sheep	30-200	40	22.5	8

Note: Calculation of manure weight, N, and P are associated with livestock concentrated/feeding locations. Dairy, beef, horse and sheep values are based on NRCS Agricultural Waste Management Field Handbook (AWMFH).

# 3. Guidance on interpreting output:

#### **TABLE 2**

Loading Rate (lbs/ac/yr) from Estimator above		Level of Concern	Water resources at risk	Loading Points
N	P2O5			
Less than 200	Less than 80	Minor	No	0
201 to300	81-120	Moderate	Possibly	15
301 to 800	121-310	Major	Possibly	40
801 to 1000	311-390	Excessive	Possibly	75
1,001 +	390 +	Extreme	Possibly	80

	Comments	<b>Loading Points</b>
Loading Points:	From Table 2	

Site Information - Receiving water feature and buffer considerations: (see exhibit 1 to determine if points are to be given in Section A below for overland flow to a vulnerable water feature *or* Section B below for a concentrated flow to a vulnerable water feature)

(A1) Overland Flow - Proximity	to Vulnerable Wa	ater Feature:	
		<u>Comments</u>	
< 100 Feet: 100- 199 Feet: 200-300 Feet: >300 Feet:	40 points 25 points 15 points 0 points	Distance from edge of concentrated/ feeding area to edge of a water feature which includes open sinkholes, springs, streams (perennial or intermittent), wetlands and ponds.	
(A2) Buffer width adjacent to th	ne selected water	feature:	
< 35 Feet: 35 -100 Feet: >100 Feet:	20 points 10 points 0 points	A buffer is a vegetative area which effectively filters overland flow to the adjoining water feature (0-34' is not an effective buffer). Source: P Index and FOTG.	
		Sum of A1 and A2:	0

or

Yes No	60 points 0 points	Transport Feature - A swale, grassed waterway, gully, or similar feature where concentrated water flow occurs. (This transport feature must flow into the vulnerable water feature in the above question)	

Is the Vulnerable Water feature as high value water?	or Receiving	Water Feature	above classified	
High Value Water - A stream, lake, or estuary designated within a TMDL		Yes =	20 points	
watershed based on the 303d Im Waters List, endangered species designated trout waters.	paired	No =	0 points	
Site Information:				Scoring Boxes
			<u>Comments</u>	
Environmental Sensitivity Inde	x:	Fro	m DCRs <u><i>Virginia Nutrient Management</i></u>	
High Medium Low	15 points 10 points 0 points	Tab pote	ndards and Criteria, Revised 10/2005, ble 1-4. Includes soils with leaching ential, shallow soils and poor drainage. e soil series at the existing HUA/ACA.)	
Slope:		(	g	
0-2 %	0 points	Ger	neral slope of the HUA/ACA from the	
2-6%	5 points	eda	e of feeding area to the vulnerable water	
6-15% 15-25%	15 points 25 points	-	ture.	
		Total Scor	re:	0

Note: If total is 120 or greater, there is a significant risk of water resource impairment. Follow the planning process to address this concern. Consider both structural and non-structural alternatives.

#### **Definitions:**

Buffer - A permanently vegetated area with a minimum width of 35 feet.


**High Value Water** - A stream, lake, or estuary designated within a TMDL watershed based on the 303d Impaired Waters List, endangered species, and/or designated trout waters.

Karst features - Includes sinkholes, limestone rock outcrops, and fractured limestone that are direct conduits to ground water.

**Vulnerable Water Feature** - An open sinkhole, stream (perennial or intermittent), spring, wetland, or pond that is receiving overland flow.

Transport Feature - A swale, grassed waterway, gully, or similar feature where concentrated water flow occurs.

HUA/ACA - Areas which have a high concentration of livestock, large amounts of waste and the inability to sustain vegetation.





# VIRGINIA AGRICULTURAL VOLUNTARY BEST MANAGEMENT PRACTICE (BMP) ASSESSMENT AUTHORIZATION

Land owner or manager having	control of the land where BMPs are imple	emented:	
Name:		Phone: (H)	(M)
Email:	Address:		
Person to Contact (if different th	nan above):		
Phone (H):	(M)	Email:	
purpose of conducting on site a quality. Check one: SWCD staff must conta	assessment(s) of BMPs that may be doc act me prior to accessing the named farm	umented and reported to project reducti (s) and performing any site assessment(	ervation District, access to the following farm(s) for one of nonpoint source pollutants that impact waters of one or more farms many site assessment(s) without contacting me
Farm #1 Name:	, located (prov	de sufficient explanation to ensure the location	of authorized land is clear):
Farm #2 Name:	, located (provide	sufficient explanation to ensure the location of a	uthorized land is clear):
	(Use the reverse side of this sheet if	additional farms are authorized for BMP assessmen	t and reporting)
Printed Name of Land owner or ma	nager having control of the land where BMPs	are implemented	
Signature:		Date	e:
	I understand that my authorizat	ion remains in effect until I revoke such auth	norization

Any information collected pursuant to section §2.2-220.3 of the Code of Virginia shall be exempt from the Freedom of Information Act (§2.2-3700 et seq.) Virginia Department of Conservation and Recreation programs, activities, and employment opportunities are available to all people regardless of race, color, religion, sex, age, national origin, or political affiliation. An equal opportunity/ affirmative action employer.

COMMONWEALTH OF VIRGINIA	Form DCR # 199-206 (08/11)
Department of Conservation and Recreation, Division of Stormwater Management	

Farm #3 Name:	, located (provide sufficient explanation to ensure the location of authorized land is clear):	
	, located (provide sufficient explanation to ensure the location of authorized land is clear):	
Farm #5 Name:	, located (provide sufficient explanation to ensure the location of authorized land is clear):	
Farm #6 Name:	, located (provide sufficient explanation to ensure the location of authorized land is clear):	
Farm #7 Name:	, located (provide sufficient explanation to ensure the location of authorized land is clear):	
Farm #8 Name:	, located (provide sufficient explanation to ensure the location of authorized land is clear):	
Farm #9 Name:	, located (provide sufficient explanation to ensure the location of authorized land is clear):	

Any information collected pursuant to section §2.2-220.3 of the Code of Virginia shall be exempt from the Freedom of Information Act (§2.2-3700 et seq.) Virginia Department of Conservation and Recreation programs, activities, and employment opportunities are available to all people regardless of race, color, religion, sex, age, national origin, or political affiliation. An equal opportunity/ affirmative action employer.

# WP-4 Risk Assessment for Water Quality Impairment from Animal Concentrated Areas

Client's Name:		Farm #:		Tract #:			
Livestock Type:		No:	Avg. Wt.:				
	s the cooperator currently feeding hay or other feedstuffs from a fixed hardened    Output  Description:						
If yes, then describ	be where and how they are feeding:						
	s not feeding hay or other supplement not complete this form.	nts, on a harder	ned location that a	allows for ma	nure		
For those who are	feeding, are alternative manure stor	age locations a	vailable?	☐ Yes	□ No		
Could relocation o	f the manure storage area reduce th	e risk to the wa	ter resources?	☐ Yes	□ No		
Describe the alter	natives discussed with the landowne	r:					
Describe the selec	cted alternative:						

Note: The Landowner should be informed that if the selected alternative includes manure or wastewater handling, storage, or treatment practices, a Comprehensive Nutrient Management Plan (CNMP) must be developed and implemented for the farm prior to construction of the storage facility.

# **Livestock Manure and Nutrient Loading Estimator**

1. Manure Estimator - Input site specific data into the table below:

		INPUTS							OUTPU	Γ - Waste d	eposited
	Α	В	С	D	Е	F	G	Н	annually in concentrated area		ated area
Select	Number	Average	Days in	Portion of	Size of	Manure	Total N	Total			
Livestock	of	animal	concen-	manure	current	production	per ton	P <sub>2</sub> O <sub>5</sub> per			
Type from	animals	weight	trated area	dropped in	manure	rate (lbs/day		ton of		Total N	Total
the list	fed	(lbs)	(per year)	concen-	storage	per 1,000	manure	manure	Manure	Total N	$P_2O_5$
below in				trated area	area (ac)	lbs of live			(tons/ac/	(lbs/ac/	(lbs/ac/
Table 1:				(%)		weight)			yr)	yr)	`yr)
											3 /
7	100	5	365	100%	0.5	16	65	52	3	192	155

# 2. Guidance on inputs:

Column A, B, C, D, E, are site specific and may be adjusted according to site conditions and professional judgement.

Column A: Use the number of animals on site within the Column C Days in concentrated area. For poultry production round flocks up to whole numbers.

Column D: If water is available in concentrated/feeding area, assume 60-70% drops in the area (adjust to site conditions).

If water is only available in pasture outside concentrated/feeding area, assume 40-50% drops in the area (adjust to site conditions). For confined feeding use 100% confinement.

Columns F through H (see Table 1 below) are auto-filled with appropriate values when livestock type is selected.

TABLE 1

Livestock Type	Weight	Manure lbs./day/1,000lbs.	N/ton of manure	P <sub>2</sub> O <sub>5</sub> /ton of manure
1: Beef Finishing	400 - 1,000	65	11	3.1
2: Beef Cow/calf	900 - 1,400	104	7	3.5
3: Non Lact. Dairy	150 - 1,500	56	10	4
4: Lactating Dairy	1100 -1,500	119	13	5.4
5: Horse	1000-1,500	52	9.6	4.2
6: Goats/Sheep	30-200	40	22.5	8
7: Chicken Broiler	3-8	16	65	52
8: Chicken Layer	7	13	48	61
9: Turkey	30	41	62	50
10:Turkey Breeder	20	6	59	61

Note: Calculation of manure weight, N, and P are associated with livestock concentrated/feeding locations. Dairy, beef, horse and sheep values are based on NRCS Agricultural Waste Management Field Handbook (AWMFH). Poultry values are based on the DCRs Virginia Nutrient Management Standards and Criteria, Revised 2014.

# 3. Guidance on interpreting output:

# TABLE 2

Loading Rate (lbs/ac/yr) from Estimator above		Level of Concern	Water resources at risk	Loading Points	
N	P2O5				
Less than 200	Less than 80	Minor	No	0	
201 to300	81-120	Moderate	Possibly	15	
301 to 800	121-310	Major	Possibly	40	
801 to 1000	311-390	Excessive	Possibly	80	
1,001 +	390 +	Extreme	Possibly	100	

# Comments

**Loading Points** 

**Loading Points:** From Table 2

100

Site Information - Receiving water feature and buffer considerations: (see exhibit 1 to determine if points are to be given in Section A below for overland flow to a vulnerable water feature *or* Section B below for a concentrated flow to a vulnerable water feature)

water reature)			
(A1) Overland Flow - Proximity	to Vulnerable Wa	ater Feature:	
		<u>Comments</u>	
< 100 Feet: 100- 199 Feet: 200-300 Feet: >300 Feet:	40 points 25 points 15 points 0 points	Distance from edge of concentrated/ feeding area to edge of a water feature which includes open sinkholes, springs, streams (perennial or intermittent), wetlands and ponds.	
(A2) Buffer width adjacent to the	ne selected water	feature:	
< 35 Feet: 35 -100 Feet: >100 Feet:	20 points 10 points 0 points	A buffer is a vegetative area which effectively filters overland flow to the adjoining water feature (0-34' is not an effective buffer). Source: P Index and FOTG.	
		Sum of A1 and A2:	0

or

Yes	60 points 0 points	Transport Feature - A swale, grassed waterway, gully, or similar feature where concentrated water flow occurs. (This transport feature must flow into the vulnerable water feature in the above question)	
	The	greater of A or B (maximum 60 points can be earned here	\- \-

Is the Vulnerable Water feature as high value water?	e or Receiving	Water Featur	e above classified	
High Value Water - A stream, lal estuary designated within a TMD		Yes =	20 points	
watershed based on the 303d Impaired Waters List, endangered species, and/or designated trout waters.		No =	0 points	
Site Information:				Scoring Boxes
			Comments	
Environmental Sensitivity Inde High Medium Low		<u>Sta</u> Tab pot	om DCRs <u>Virginia Nutrient Management</u> <u>Indards and Criteria, Revised 7/2014,</u> ole 1-4. Includes soils with leaching ential, shallow soils and poor drainage. se soil series at the existing HUA/ACA.)	
0-2 % 2-6% 6-15% 15-25%	0 points 5 points 15 points 25 points	edg	neral slope of the HUA/ACA from the ge of feeding area to the vulnerable water ture.	
		Total Sco	ro	100

Note: If total is 120 or greater, there is a significant risk of water resource impairment. Follow the planning process to address this concern. Consider both structural and non-structural alternatives.

#### **Definitions:**

Buffer - A permanently vegetated area with a minimum width of 35 feet.


**High Value Water** - A stream, lake, or estuary designated within a TMDL watershed based on the 303d Impaired Waters List, endangered species, and/or designated trout waters.

Karst features - Includes sinkholes, limestone rock outcrops, and fractured limestone that are direct conduits to ground water.

**Vulnerable Water Feature** - An open sinkhole, stream (perennial or intermittent), spring, wetland, or pond that is receiving overland flow.

Transport Feature - A swale, grassed waterway, gully, or similar feature where concentrated water flow occurs.

**HUA/ACA** - Areas which have a high concentration of livestock, large amounts of waste and the inability to sustain vegetation.



# **Dry Manure Storage Structure Agreement**

- 1. The Waste Storage Structure or winter-feeding facility must be utilized in accordance with a Nutrient Management Plan prepared and certified by a Virginia certified Nutrient Management Planner and, if needed, a transfer plan prepared by a Virginia certified Nutrient Management Planner for any livestock or poultry waste. The Plan identifies specific requirements related to waste storage, utilization and disposal. These requirements must be met in order to remain in program compliance.
- 2. Any changes in the farming operation that affect the ability to comply with the Nutrient Management or transfer plan will be reported to the District.
- 3. No alterations to the structure are allowed without prior approval by the District. The structure must be built according to the approved final design and no change may be made to it.
- 4. The structure must be maintained in strict accordance with the NRCS maintenance guidelines.
- 5. The District imposes that (District check one of the following):
  - i. The structure is to be used for storage of manure only.
  - ii. The applicant must request prior district approval for storage of non-manure items. .
  - iii. During times when the structure is not filled with manure, shavings or temporary housing of mobile farm equipment or composted poultry carcasses resulting from normal mortality is permitted. This is only if it does not affect compliance with the Nutrient Management Plan or transfer plan.

At NO TIME will manure be stored outside the facility when storage space is available in the structure. Waste stored out-of-doors will be grounds for the refund of all cost-share funds.

6. Employees or agents of the Department or the Soil and Water Conservation District will be allowed to spot-check the facility at any time during the minimum 15-year lifespan of the practice.

C	certify that I have read and understand the rther understand that if I fail to comply with these guidelines, I s received by me for the waste storage structure.
Producer Signature	Date
District Director	Date